



Issued to:

Lakeland Industries Europe Limited  
Unit 9-10  
Jet Park  
Jet Park Way  
Newport  
HU15 2JU  
UK

Notified Body: 2777

SATRA customer number: P0807

# EU Type-Examination Certificate

## Certificate number: 2777/11765-05/E00-00

This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation:

Following the EU Type-Examination this product group has been shown to satisfy the applicable essential health and safety requirements of Annex II of the PPE Regulation (EU) 2016/425 as a Category III product.

### Product reference:

### Description:

Safeguard GP ESGP528

Hooded coverall in 3 layer 50g.m<sup>2</sup> polypropylene or 45g.m<sup>2</sup> SMMS non-woven fabric with zip fastening, inset sleeve arms and elastic waist.

ESGP528B

Variant of the above (blue)

ESGPL528B

Variant of the above with thumb loops (blue)

ESGP528O

Variant of the above (orange)

ESGP528R

Variant of the above (red)

### Manufacturing sites:

Weifang Lakeland Safety Products Co. Ltd  
Hua An Road  
Zhongduan, An Qui City  
Shandong Province 262100  
P.R. China

Lakeland Gloves and Safety Apparel, Plot 50 & 81 Noida SEZ, Phase II  
Gautam Budh Nagar District, Uttar Pradesh, 201305, India

### Classification

#### EN ISO 13982-1:2004 (Type 5)

Abrasion resistance  
Flex cracking resistance  
Puncture resistance  
Tear resistance  
Resistance to ignition  
Solid Particles  
Seam strength

Class 2  
Class 6  
Class 1  
Class 2  
Pass  
Pass  
Class 2

#### EN 13034:2005 (Type 6)

Tensile strength  
Penetration resistance  
10% Sodium hydroxide  
30% Sulphuric acid  
O-Xylene  
Butan-1-ol  
Spray test – reduced spray

Class 1  
Class 3  
Class 3  
Class 0  
Class 0  
Pass

#### EN 1073-2:2002

TIL Class 1

Pass

#### EN 1149-5:2018

Clause 4.2.1

Pass

### Standards/Technical specifications applied:

EN ISO 13982-1:2004+A1:2010; EN 13034:2005+A1:2009; EN 1073-2:2002; EN 1149-5: 2018; EN 1149-1:2006; EN ISO 13688 :2013

### Technical reports/Approval documents:

SATRA: SPC0166079/0830/1/DMcK issue 2, SPC0166079/0830/3/DMcK, CHM0173046/ERC, SPC0169593/0846/DMcK, SPC0196288/1129/1, SPC0196288/1129/2, SPC0276822 /1842, CHM0276216/1840/JH  
IOM: 602-00545, 602-00539, S03278-1, S03278-2, 602-01455-1, 602-01455-3, 602-01455-2R1. STFI: 1655/08  
BTTG: E-006468/B, E-002524, E-016360/A, E-002523, E-016495, E-016360/B, 60/00441, E-003074

Signed on behalf of SATRA:

Quincey Brown

Geoff Graham

Date first issued: 16/01/2019

Date of issue: 21/12/2020

Expiry date: 16/01/2024



Issued to:

Lakeland Industries Europe Limited  
Unit 9-10  
Jet Park  
Jet Park Way  
Newport  
HU15 2JU  
UK

Notified Body: 2777

SATRA customer number: P0807

# EU Type-Examination Certificate

## Certificate number: 2777/11764-04/E00-00

This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation:

Following the EU Type-Examination this product group has been shown to satisfy the applicable essential health and safety requirements of Annex II of the PPE Regulation (EU) 2016/425 as a Category III product.

### Product reference:

### Description:

Safeguard GP ESGPL528O	Hooded coverall in 3 layer 50g.m <sup>2</sup> polypropylene or 45g.m <sup>2</sup> SMMS non-woven fabric with zip fastening, inset sleeve arms, elastic waist and thumb loops. (Orange)
ESGPL528R	Variant of the above (Red)
ESGPL414	Variant of the above with feet (White)
ESGP414	Variant of the above with feet, no thumb loops (White)
ESGPB414	Variant of the above with feet, no thumb loops (Blue)
ESGPL528	Variant of the above (Blue)
ESGP528DT	Variant of the above with double sided tape on front closure zip covering, no thumb loops (White)
ESGP528DTB	Variant of the above with double sided tape on front closure zip covering, no thumb loops (Blue)
ESGP528DTO	Variant of the above with double sided tape on front closure zip covering, no thumb (Orange)

Manufacturing sites:  
Weifeng Lakeland Safety Products Co, Ltd  
Hua An Road  
Zhongduan, An Qui City  
Shandong Province 262100  
P.R. China

Lakeland Gloves and Safety Apparel, Plot 50 & 81 Noida SEZ, Phase II  
Gautam Budh Nagar District, Uttar Pradesh, 201305, India

### Classification

#### EN ISO 13982-1:2004 (Type 5)

Abrasion resistance	Class 2
Flex cracking resistance	Class 6
Puncture resistance	Class 1
Tear resistance	Class 2
Resistance to ignition	Pass
Solid Particles	Pass
Seam strength	Class 2

#### EN 13034:2005 (Type 6)

Tensile strength	Class 1
Penetration resistance	
10% Sodium hydroxide	Class 3
30% Sulphuric acid	Class 3
O-Xylene	Class 0
Butan-1-ol	Class 0
Spray test – reduced spray	Pass

#### EN 1073-2:2002

(radioactive contamination)	Class 1
-----------------------------	---------

#### EN 1149-5:2018

Clause 4.2.1	Pass
--------------	------

### Standards/Technical specifications applied:

EN ISO 13982-1:2004+A1:2010; EN 1073-2:2002; EN 13034:2005+A1:2009; EN 1149-5: 2018; EN 1149-1:2006; EN ISO 13688 :2013

### Technical reports/Approval documents:

SATRA: SPC0166079/0830/1/DMcK issue 2, SPC0166079/0830/3/DMcK, CHM0173046/ERC, SPC0169593/0846/DMcK, SPC0196288/1129/1, SPC0196288/1129/2, SPC0196288/RS/A, SPC0276822 /1842, CHM0276216/1840/JH  
IOM: 602-00545, 602-00539, S03278-1, S03278-2, 602-01455-1, 602-01455-3, 602-01455-2R1. STFI: 1655/08  
BTTG: E-006468/B, E-002524, E-016360/A, E-002523, E-016495, E-016360/B, E-003074, 60/00441

Signed on behalf of SATRA:

Quincey Brown

Geoff Graham

Date first issued: 16/01/2019

Date of issue: 21/12/2020

Expiry date: 16/01/2024



Issued to:

Lakeland Industries Europe Limited  
Unit 9-10  
Jet Park  
Jet Park Way  
Newport  
HU15 2JU  
UK

Approved Body: 0321

SATRA customer number: P0807

## UKCA Type-Examination Certificate

### Certificate number: AB0321/16548-01/E00-00

This UKCA Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation:

Following the UKCA Type-Examination this product group has been shown to satisfy the applicable essential health and safety requirements of the PPE Regulation (2016/425) as brought into UK law and amended as a Category III product.

#### Product reference:

#### Description:

Safeguard GP ESGP528

Hooded coverall in 3 layer 50g.m<sup>2</sup> polypropylene or 45g.m<sup>2</sup> SMMS non-woven fabric with zip fastening, inset sleeve arms and elastic waist.

ESGP528B

Variant of the above (blue)

ESGPL528B

Variant of the above with thumb loops (blue)

ESGP528O

Variant of the above (orange)

ESGP528R

Variant of the above (red)

#### Manufacturing sites:

Weifang Lakeland Safety  
Products Co. Ltd  
Hua An Road  
Zhongduan, An Qui City  
Shandong Province 262100  
P.R. China

Lakeland Gloves and Safety  
Apparel, Plot 50 & 81 Noida  
SEZ, Phase II  
Gautam Budh Nagar District,  
Uttar Pradesh, 201305, India

#### Classification

##### EN ISO 13982-1:2004 (Type 5)

Abrasion resistance  
Flex cracking resistance  
Puncture resistance  
Tear resistance  
Resistance to ignition  
Solid Particles  
Seam strength

Class 2  
Class 6  
Class 1  
Class 2  
Pass  
Pass  
Class 2

##### EN 13034:2005 (Type 6)

Tensile strength  
Penetration resistance  
10% Sodium hydroxide  
30% Sulphuric acid  
O-Xylene  
Butan-1-ol  
Spray test – reduced spray

Class 1  
Class 3  
Class 3  
Class 0  
Class 0  
Pass

##### EN 1073-2:2002

TIL Class 1

Pass

##### EN 1149-5:2018

Clause 4.2.1

Pass

#### Standards/Technical specifications applied:

EN ISO 13688 :2013; EN ISO 13982-1:2004+A1:2010; EN 13034:2005+A1:2009; EN 1073-2:2002; EN 1149-5: 2018

#### Technical reports/Approval documents:

SATRA: SPC0166079/0830/1/DMcK issue 2, SPC0166079/0830/3/DMcK, CHM0173046/ERC, SPC0169593/0846/DMcK, SPC0196288/1129/1, SPC0196288/1129/2, SPC0276822 /1842, CHM0276216/1840/JH  
IOM: 602-00545, 602-00539, S03278-1, S03278-2, 602-01455-1, 602-01455-3, 602-01455-2R1. STFI: 1655/08  
BTTG: E-006468/B, E-002524, E-016360/A, E-002523, E-016495, E-016360/B, 60/00441, E-003074

Signed on behalf of SATRA:

Pete Doughty

Date first issued: 05/05/2021

Date of issue: 05/05/2021

Expiry date: 05/05/2026

## UKCA Type-Examination Certificate

### Certificate number: AB0321/16546-01/E00-00

This UKCA Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation:

Following the UKCA Type-Examination this product group has been shown to satisfy the applicable essential health and safety requirements of the PPE Regulation (2016/425) as brought into UK law and amended as a Category III product.

**Product reference:**

**Description:**

Safeguard GP ESGPL528O	Hooded coverall in 3 layer 50g.m <sup>2</sup> polypropylene or 45g.m <sup>2</sup> SMMS non-woven fabric with zip fastening, inset sleeve arms, elastic waist and thumb loops. (Orange)
ESGPL528R	Variant of the above (Red)
ESGPL414	Variant of the above with feet (White)
ESGP414	Variant of the above with feet, no thumb loops (White)
ESGPB414	Variant of the above with feet, no thumb loops (Blue)
ESGPL528	Variant of the above (Blue)
ESGP528DT	Variant of the above with double sided tape on front closure zip covering, no thumb loops (White)
ESGP528DTB	Variant of the above with double sided tape on front closure zip covering, no thumb loops (Blue)
ESGP528DTO	Variant of the above with double sided tape on front closure zip covering, no thumb (Orange)

Manufacturing sites:  
 Weifeng Lakeland Safety Products Co, Ltd  
 Hua An Road  
 Zhongduan, An Qui City  
 Shandong Province 262100  
 P.R. China

Lakeland Gloves and Safety Apparel, Plot 50 & 81 Noida SEZ, Phase II  
 Gautam Budh Nagar District, Uttar Pradesh, 201305, India

**Classification**

**EN ISO 13982-1:2004 (Type 5)**

Abrasion resistance	Class 2
Flex cracking resistance	Class 6
Puncture resistance	Class 1
Tear resistance	Class 2
Resistance to ignition	Pass
Solid Particles	Pass
Seam strength	Class 2

**EN 1073-2:2002**

(radioactive contamination)	Class 1
-----------------------------	---------

**EN 13034:2005 (Type 6)**

Tensile strength	Class 1
Penetration resistance	
10% Sodium hydroxide	Class 3
30% Sulphuric acid	Class 3
O-Xylene	Class 0
Butan-1-ol	Class 0
Spray test – reduced spray	Pass

**EN 1149-5:2018**

Clause 4.2.1	Pass
--------------	------

**Standards/Technical specifications applied:**

EN ISO 13688 :2013; EN ISO 13982-1:2004+A1:2010; EN 1073-2:2002; EN 13034:2005+A1:2009; EN 1149-5: 2018

**Technical reports/Approval documents:**

SATRA: SPC0166079/0830/1/DMcK issue 2, SPC0166079/0830/3/DMcK, CHM0173046/ERC, SPC0169593/0846/DMcK, SPC0196288/1129/1, SPC0196288/1129/2, SPC0196288/RS/A, SPC0276822 /1842, CHM0276216/1840/JH  
 IOM: 602-00545, 602-00539, S03278-1, S03278-2, 602-01455-1, 602-01455-3, 602-01455-2R1. STFI: 1655/08  
 BTTG: E-006468/B, E-002524, E-016360/A, E-002523, E-016495, E-016360/B, E-003074, 60/00441

Signed on behalf of SATRA:



Pete Doughty

**Date first issued: 04/05/2021**  
**Date of issue: 04/05/2021**  
**Expiry date: 04/05/2026**